



SM
madeiras

Product Catalog

Quality wood for your project:
Decking, S4S, Underdecking,
Wood Floors, Rough Sawn
Timber, Veneer.

Processed wood

Sliced veneer

Rough sawn timber

Surfaced Four Sides

More



We deliver anywhere in the world.



SM Madeiras was born from a passion for wood and the potential of tropical forests, turning that vision into a solid company committed to sustainability. From the very beginning, our mission has been clear: to provide exceptional-quality wood, sourced responsibly and sustainably. With years of experience and a highly skilled team, we have evolved into a leading name in the industry, meeting a wide range of market needs — from construction to sophisticated finishing.



The **complete** solution to cover, renew, and **transform.**



Wood is a noble raw material, capable of creating unique experiences that connect us to the authenticity of nature. Each species carries its own shades, textures, and distinctive patterns, revealing shapes and beauty that captivate.

In architecture, design, and industry, wood opens a vast universe of possibilities, bringing elegance and harmony to both indoor and outdoor spaces.

Fully aware of its relevance and value, **SM MADEIRAS** presents a complete catalog of carefully selected woods. Each piece is rigorously chosen and expertly processed — we have the structure and technical knowledge to saw, cut, and dry according to the dimensions and moisture levels required by each client.

Our commitment goes beyond quality: we prioritize responsible and sustainable practices. We work with wood from consciously managed forests, ensuring that the entire chain — from its origin to final delivery — respects the environment and the principles of sustainable development.



Table of Contents

0.1 OUR HISTORY AND SUSTAINABLE COMMITMENT	02
ORIGINS OF SM MADEIRAS, OUR COMMITMENT	
0.2 DECKING	07
AVAILABLE SPECIES	
0.3 UNDERDECKING	09
AVAILABLE SPECIES	
0.4 SURFACED FOUR SIDES	11
AVAILABLE SPECIES	
0.5 WOOD FLOORS	13
AVAILABLE SPECIES	
0.6 SLICED VENEER	15
AVAILABLE SPECIES	
0.7 ROUGH SAWN TIMBER	17
AVAILABLE SPECIES	
0.8 CONTACT & GLOBAL DISTRIBUTION	19
CONTACT INFORMATION	





SM madeiras


Tropical wood.

From the heart of the Amazon to projects around the world.

We produce, process, and deliver premium wood with transparency, certification, and a commitment to a sustainable future.





Decking





Specifications

Drying	Quality	Thickness	Widths	Length
KD	A	19,20,21mm	40mm	3' a 20'
KD	A	19,20,21mm	70mm	3' a 20'
KD	A	19,20,21mm	90mm	3' a 20'
KD	A	19,20,21mm	95mm	3' a 20'
KD	A	19,20,21mm	100mm	3' a 20'
KD	A	19,20,21mm	140mm	3' a 20'
KD	A	19,20,21mm	145mm	3' a 20'



Species



Underdecking




Underdecking

Specifications

Drying	Quality	Thickness	Widths	Length
AD e KD	A e B	36,40,41mm	60mm	3' a 20'
AD e KD	A e B	36,40,41mm	68mm	3' a 20'
AD e KD	A e B	36,40,41mm	70mm	3' a 20'



Species



4- Surfaced four sides (S4S)





4- Surfaced four sides (S4S)

Specifications

Drying	Quality	Thickness	Widths	Length
KD	A e B	19mm e 22mm	60mm	300mm
KD	A e B	19mm e 22mm	65mm	450mm
KD	A e B	19mm e 22mm	70mm	500mm
KD	A e B	19mm e 22mm	80mm	600mm
KD	A e B	19mm e 22mm	100mm	750mm
KD	A e B	19mm e 22mm	130mm	900mm
KD	A e B	19mm e 22mm	160mm	1200mm
KD	A e B	19mm e 22mm	173mm	1500mm
KD	A e B	19mm e 22mm	203mm	1800mm



Species



Wood Floors









Wood Floors

Specifications

Drying	Quality	Thickness	Widths	Length
KD	A e B	19,20,21mm	50mm	3' a 20'
KD	A e B	19,20,21mm	70mm	3' a 20'
KD	A e B	19,20,21mm	85mm	3' a 20'
KD	A e B	19,20,21mm	90mm	3' a 20'
KD	A e B	19,20,21mm	100mm	3' a 20'
KD	A e B	19,20,21mm	130mm	3' a 20'
KD	A e B	19,20,21mm	140mm	3' a 20'
KD	A e B	19,20,21mm	150mm	3' a 20'
KD	A e B	19,20,21mm		3' a 20'
KD	A e B	19,20,21mm		3' a 20'



Species




Sliced veneer



Sliced veneer

Specifications

Drying	Thickness	Widths	Length
KD	0,6mm	9,10 e 11cm 12 e acima	2,15 à 3m 2,20 à 2,40m



Species



Rough sawn timber



Rough sawn timber

Specifications

Drying	Espessura	Larguras	Length
AD e KD	25,4mm	100mm e acima	3' à 20'
AD e KD	27,0mm	100mm e acima	3' à 20'
AD e KD	35,0mm	100mm e acima	3' à 20'
AD e KD	36,0mm	100mm e acima	3' à 20'
AD e KD	38,1mm	100mm e acima	3' à 20'
AD e KD	40,0mm	100mm e acima	3' à 20'
AD e KD	50,0mm	100mm e acima	3' à 20'
AD e KD	50,8mm	100mm e acima	3' à 20'
AD e KD	60,0mm	100mm e acima	3' à 20'
AD e KD	75,0mm	100mm e acima	3' à 20'



Species





Contact Us

 (66) 3565-1105 | (66) 3565-1045

 vendas@smmadeiras.com.br
financeiro@smmadeiras.com.br

